

HERIOT-WATT UNIVERSITY

M.SC. IN ACTUARIAL SCIENCE

Life Insurance Mathematics I

Tutorial 3 Solutions

1. (a) $\ddot{a}_{70|70} = \ddot{a}_{70}^f - \ddot{a}_{70:70} = 3.168.$
- (b) $\ddot{a}_{65|64} = \ddot{a}_{64}^f - \ddot{a}_{65:64} = 3.116$
- (c) $\ddot{a}_{65|64}^{(12)} \approx \ddot{a}_{64}^{(12)f} - \ddot{a}_{65:64}^{(12)} = (\ddot{a}_{64}^f - 0.458) - (\ddot{a}_{65:64} - 0.458) = 3.116$
2. We note that after the first five years for which the annuity is guaranteed, we need to consider what happens in each of the three possible cases:
 - (a) both husband and wife are alive, which has a probability ${}_5p_{65} \cdot {}_5p_{61}$,
 - (b) only the husband is alive, which has probability ${}_5p_{65}(1 - {}_5p_{61})$, and
 - (c) only the wife is alive which has probability $(1 - {}_5p_{65}){}_5p_{61}$.

The equation of value is

$$P = 100 + 10060\ddot{a}_{\overline{5}|}^{(12)} + v^5 \left[\begin{array}{l} {}_5p_{65} \cdot {}_5p_{61} \left(10060\ddot{a}_{70}^{(12)} + 5060\ddot{a}_{70|66}^{(12)} \right) \\ + {}_5p_{65} \cdot (1 - {}_5p_{61}) \cdot 10060\ddot{a}_{70}^{(12)} \\ + (1 - {}_5p_{65}) \cdot {}_5p_{61} \cdot 5060\ddot{a}_{66}^{(12)} \end{array} \right].$$

Now, substituting

$$\ddot{a}_{\overline{5}|}^{(12)} = 4.5477, \quad v^5 = 0.82193, \quad {}_5p_{65} = \frac{9238134}{9647797} = 0.95754, \quad {}_5p_{61} = \frac{9658285}{9828163} = 0.98272,$$

$$\ddot{a}_{70}^{(12)} = 11.562 - \frac{11}{24} = 11.104, \quad \ddot{a}_{66}^{(12)} = 14.494 - \frac{11}{24} = 14.036,$$

and $\ddot{a}_{70|66}^{(12)} \approx 14.494 - 10.368 = 4.126.$ gives $P = 152,350$

3. (a) ${}_nq_{xy}^2 = {}_nq_x - {}_nq_{xy}^1.$
- (b) First find ${}_np_x$:

$$\begin{aligned}
{}_n p_x &= \exp \left[- \int_0^n \mu_{x+t} dt \right] \\
&= \exp \left[- \int_0^n \frac{1}{90-x-t} dt \right] \\
&= \exp \left[[\log(90-x-t)]_{t=0}^{t=n} \right] \\
&= (90-x-n)/(90-x)
\end{aligned}$$

So ${}_n q_x = n/(90-x)$. Next:

$$\begin{aligned}
{}_n q_{xy}^1 &= \int_0^n {}_t p_{xy} \mu_{x+t} dt \\
&= \int_0^n \frac{90-x-t}{90-x} \frac{90-y-t}{90-y} \frac{1}{90-x} dt \\
&= \frac{1}{(90-x)(90-y)} \int_0^n (90-y-t) dt \\
&= \frac{(90-y)n - n^2/2}{(90-x)(90-y)}
\end{aligned}$$

Hence ${}_{10} q_{30:40}^2 = \frac{1}{60}$.

4. (a) $\bar{A}_{40:40}^1 = \frac{1}{2} \bar{A}_{40:40}$ (by symmetry) $= \frac{1}{2}(1 - \delta \bar{a}_{40:40}) = 0.1754$.
(b) $A_{40:40} = (1 - d \bar{a}_{40:40}) = 1 - d(2\bar{a}_{40} - \bar{a}_{40:40}) = 0.2024$
(c) $A_{40:40}^2 = \frac{1}{2} A_{40:40}$ (by symmetry) $= 0.1012$.
(d) $\bar{A}_{40:40:\overline{10}|} = \bar{A}_{40:40:\overline{10}|}^1 + A_{40:40:\overline{10}|}^1$ where the first term is a temporary assurance payable on second death, and the second term is a pure endowment. (Note that the '1' is not over either life but over the whole 'status' $\overline{40:40}$; the sum assured is payable when the status fails. The next line shows a similar symbol with a first-death status $40:40$.) We have:

$$\begin{aligned}
\bar{A}_{40:40:\overline{10}|}^1 &= 2\bar{A}_{40:\overline{10}|}^1 - \bar{A}_{40:40:\overline{10}|}^1 \\
&= (1+i)^{1/2} (2A_{40:\overline{10}|}^1 - A_{40:40:\overline{10}|}^1) \\
&= (1+i)^{1/2} \left(2 \left(A_{40} - \frac{D_{50}}{D_{40}} A_{50} \right) - (A_{40:40} - v^{10} {}_{10} p_{40:40} A_{50:50}) \right) \\
&= 0.000477
\end{aligned}$$

(using $A_{xx} = 1 - d \bar{a}_{xx}$). Then, the pure endowment benefit will be payable as long as both are not dead:

$$A_{40:40:\overline{10}|}^1 = v^{10} (1 - {}_{10} q_{40} {}_{10} q_{40}) = 0.675107$$

so $\bar{A}_{40:40:\overline{10}|} = 0.67558$.

5. (a) ${}_{\infty}q_{xy}^1$ is the probability that (x) will die before (y).

$${}_{\infty}q_{xy}^1 = \int_0^{\infty} {}_t p_{xy} \mu_{x+t} dt.$$

- (b) \bar{A}_{xy}^2 is the EPV of an assurance of 1 payable immediately on the death of (x), provided (y) is then dead.

$$\bar{A}_{xy}^2 = \int_0^{\infty} v^t {}_t p_x (1 - {}_t p_y) \mu_{x+t} dt.$$

- (c) $\bar{A}_{xy:\overline{n}|}^1$ is the EPV of an assurance payable immediately on the death of (x) within n years, provided (y) is then alive.

$$\bar{A}_{xy:\overline{n}|}^1 = \int_0^n v^t {}_t p_{xy} \mu_{x+t} dt.$$

6. Let P be the annual premium. Then the equation of value is

$$\begin{aligned} P\ddot{a}_{70:65} &= 5,000\bar{A}_{\overline{70:65}} + 10,000 [\bar{a}_{\overline{70:65}} - \ddot{a}_{70:65}] \\ &= 5,000 [1 - \delta\bar{a}_{\overline{70:65}}] + 10,000 [\ddot{a}_{70} + \ddot{a}_{65} - 2\ddot{a}_{70:65}] \end{aligned}$$

(Note that equivalently $P\ddot{a}_{70:65} = 5,000\bar{A}_{\overline{70:65}} + 10,000 [\ddot{a}_{70|65} + \ddot{a}_{65|70}]$.)

$$\ddot{a}_{70:65} = 10.494, \quad \bar{a}_{\overline{70:65}} \approx a_{\overline{70:65}} + 0.5 = 10.562 + 13.871 - 9.494 + 0.5 = 15.439,$$

and

$$\ddot{a}_{70} + \ddot{a}_{65} - 2\ddot{a}_{70:65} = 11.562 + 14.871 - 2(10.494) = 5.445.$$

Substitution gives us

$$10.494P = 10,000(5.445) + 5,000(1 - 0.003922(15.439)).$$

Therefore $P = 5376.64$

7. Let P be the value of the single premium. The equation of value is

$$0.94P = 50,000 \int_0^{15} v^t \cdot {}_t p_{60} \mu_{60+t} \cdot {}_t p_{50} dt$$

To use the three-eighths rule we need to evaluate the integrand at points $t = 0$, $t = 5$, $t = 10$ and $t = 15$. We set these out in the following table.

t	v^t	${}_tP_{60}$	μ_{60+t}	${}_tP_{50}$	Product
0	1	1	0.001918	1	0.001918
5	0.69655	0.9853	0.004332	0.9841	0.002926
10	0.48519	0.9537	0.009240	0.95630	0.004089
15	0.33797	0.8920	0.018414	0.9083	0.005042

Therefore we have

$$0.94P = 50,000 \frac{15}{8} [0.001918 + 3(0.002926) + 3(0.004089) + 0.005042] = 50,000(0.0525)$$

such that $P = 2,792.90$.